Darragh July - October 2024





Removable Concrete Anchor 022-4085 | 600711 | \$87.99

- 360° rotating connection point
- Easy trigger provides quick release for repeated use
- Durable cap for optional hammer assisted
- Corrosion-resistant stainless steel construction
- · For horizontal, vertical and overhead use including use with HLLs
- 3/4" x 3" drilled hole required for installation



Reusable Roof Anchor FS870 | 600712 | \$19.99

- Installed on peak or flat wood and metal decking roofs
- Hinged construction for adjustment to different angles
- · Corrosion resistant plated steel
- Fasteners not included



Beam Walker Easy Slider 12"-30" 021-4069 | 600713 | \$222.99

- 180° rotating connection point
- Nylon rollers for more effective slide
- Replaceable jaw liners extend product life
- · Easy trailing for hands-free work
- Dual adjustment with jaws on both ends
- Easy, one-handed trigger allows for quick lock & release
- Lightweight aluminum construction
- · Overhead and foot level tie-off
- Protective label cover to ensure compliance
- Fits flange up to 1.25"



Beam Trolley Anchor 018-4001 | 600714 | \$313.47

- Lightweight aluminum body
- Stainless steel rail guides
- Coated steel D-ring attachment point
- Abrasion, heat & chemical resistant nylon wheels



6' Reinforced Cross Arm Strap FS810-6 | 600715 | \$32.99

- Lightweight and portable, easy install
- Heavyweight strap webbing
- · Abrasion resistant sling webbing wear pad
- Multiple lengths: 3' to 20'



PRO Vertical Lifeline

FS700-50 - 50' | 600716 | \$59.99 FS700-100 - 100' | 600717 | \$109.01 FS700-150 - 150' | 600718 | \$152.66

- 5/8" Polyester rope
- 1 Snap hook
- Rope tensile strength: 7,500 lbs.
- Hook gate rating: 3.600 lbs.
- Hook minimum breaking strength: 5,000 lbs.



Trailing Rope Grab FS1120 | 600719 | \$61.99

- Anti-panic feature
- Removable / trailing grab
- Fits 5/8 in (16 mm) rope



Trailing Rope Grab Assembly FS00SP/FS1118-3 | 600720 | \$128.03

- Removable, smooth trailing grab
- Anti-panic feature for added safety
- Fits 5/8" (16 mm) rope
- 3' web energy absorbing lanyard







PRO Full Body Harness: 1D, QC Chest, TB Legs

FS185-QC-S/M | 600726 | \$71.13 FS185-QC-L/XL | 600727 | \$72.14 FS185-QC-2X | 600728 | \$75.00 FS185-QC-3X | 600729 | \$77.85

- Dorsal D-ring
- Friction buckle torso adjusters
- Quick-connect chest
- Tongue buckle legs
- Shoulder pad



V-Line Construction Harness: 3D, QC Chest, TB Legs

021-1618 - M | 600731 | \$91.65 021-1619 - L | 600730 | \$91.65 021-1621 - 2X | 600732 | \$97.05

- Dorsal D-ring
- Side positioning D-rings
- Friction buckle torso adjusters
- Quick-connect chest
- Tongue buckle legs
- Shoulder pad
- Floating waist pad



PRO Construction Harness: 1D, QC Chest, TB Legs

021-1447 - 3X | 600733 | \$124.76

- Dorsal D-ring
- Friction buckle torso adjusters
- Quick-connect chest
- Tongue buckle legs
- Shoulder pad
- Fixed waist pad



PRO Full Body Harness: 1D, MB Chest/Legs FS280-S/M | 600725 | \$59.99

- Dorsal D-ring
- Friction buckle torso adjusters
- Mating buckle chest
- Mating buckle legs
- Shoulder pad



V-Line Full Body Harness: Universal, 1D, MB Chest/Legs FS99280-E | 600724 | \$33.99

- Dorsal D-ring
- Mating buckle torso adjusters
- Mating buckle chest
- Mating buckle legs
- Universal sizing



V-Line Bag Combo FS126-E | 600721 | \$81.99

- V-Line Full Body Harness FS99280-E
- 6' Energy Absorbing Lanyard FS88560-E
- 13" Duffle Bag FS8125



V-Line Bucket Roof Kit FS-ROOF-E | 600722 | \$125.00

- V-Line Full Body Harness FS99280-E
- 50' Vertical Lifeline Assembly 018-7005
- Reusable Roof Anchor FS870
- Plastic Bucket with Lid



PRO Bucket Roof Kit 019-3026 | 600723 | \$127.42

- PRO Full Body Harness FS185-2X
- 50' Vertical Lifeline
- Assembly 018-7005
- Reusable Roof Anchor FS870
- Plastic Bucket with Lid







V-Line 3' Energy Absorbing Lanyard: **Snap Hook**

FS88560-E3 | 600739 | \$33.99

- 1" polyester webbing
- 2 stamped steel snap hooks
- Protective label cover
- · Durable shock cover
- Single leg construction



PRO 4'-6' Adjustable Energy **Absorbing Lanyard: Snap Hook** FS560-AJ | 600746 | \$46.04

- Adjustable from 4-6'
- 1" polyester webbing
- 2 forged steel snap hooks
- Protective label cover
- Ballistic shock cover
- Single leg construction



- · Stamped steel snap hooks
- Protective label cover
- · Durable shock cover
- Single leg construction



V-Line 6' Internal Energy **Absorbing Lanyard**

FS88580 - Single, Snap Hook | 600742 | \$31.99 | 600743 | \$51.36 FS88581 - Dual, Snap Hook FS88585 - Single, Rebar Hooks | 600744 | \$49.90 FS88586 - Dual, Rebar Hooks | 600745 | \$68.99

- 13/8" polyester tubular webbing
- 2 stamped steel snap hooks
- · Protective label cover
- Single leg construction



26" Chain Assembly: Adjustable, **Swivel Rebar Hook** FS060 | 600762 | \$71.99

- · Adjustable 26" chain assembly
- 1 forged swivel rebar hook
- · 2 forged steel snap hooks



Latitude HD 11' Single Web SRL-P

FS-FSP1411-W - Snap Hook | 600751 | \$148.88 FS-FSP1411-W-RBH - Rebar Hook | 600752 | \$188.15

- · Reliable internal braking system eliminates need for external shock pack
- Durable housing and premium webbing increase strength and longevity
- 360/180° attachment point offers full range of motion





Latitude Edge 11' Cable SRL

SW8008-11LE - Single, Snap Hook | 600757 | \$287.64 SW8008-11LE-DL - Dual, Rebar Hooks | 600758 | \$454.96 SW8008-11LE-RBH - Single, Snap Hook | 600772 | \$314.20 SW8008-11LE-RBHDL- Dual, Rebar Hooks | 600773 | \$446.67

- Unique protective shock pack cover with mesh lining for cool-air comfort
- Convenient harness fastener straps for added security
- Behind-the-web bracket attaches easily
- · Durable housing for added dependability
- 360/180° attachment point swivels for full range of motion
- Designed for sharp leading edges with foot-level connection
- Dual hooks to maintain 100% tie-off







Latitude 6' Web SRL-P

019-5044 - Single, Carabiner, Snap Hook | 600747 | \$107.99 019-5054 - 9013 BWB, Snap Hooks 600748 | \$253.24 019-5046 - Single, Carabiner, Rebar Hook | 600749 | \$126.55 019-5052 - Dual, 9013 BWB, Snap Hooks | 600750 | \$237.60

- · Quick-locking unit designed for use at low heights
- 360/180° attachment point offers full range of motion
- · Durable housing increases strength and longevity
- External shock pack with energy absorber and protective label cover
- · High-strength, lightweight webbing



Northstar Classic Cable SRL

FS-FSP1215-G - 15' | 600753 | \$229.99 FS-FSP1220-G - 20' | 600754 | \$297.99 600755 | \$333.23 FS-FSP1230-G - 30' FS-FSP1250-G - 50' | 600756 | \$467.93

- Swivel attachment point offers wide range of motion
- High strength polymer housing resists impact
- Braking system activates quickly to arrest fall
- Load indicating snap hook easily identifies when product has arrested a fall



30' Kernmantle Rope HLL: **Cross Arm Straps** 019-8004 | 600764 | \$370.47

- · Abrasion-resistant kernmantle rope
- Secure rope tensioner
- Web energy absorber with protective cover reduces impact forces
- Includes 2 heavy duty 6' cross-arm strap anchors
- Includes 2 O-rings and 2 carabiners Convenient carry and storage bag



Quick-Adjust Trauma Relief 022-6047 | 600763 | \$25.00

- · Adjustable once deployed for proper step length
- Easily connects to most harnesses in seconds
- · Hi-vis webbing step for critical visibility in fall event
- Coordinating packs attach on each hip allowing versatility to place adjuster on preferred side



22' Rescue Ladder with Belay 020-6042 | 600767 | \$368.76

- 28' abrasion-resistant kernmantle rope
- Aluminum progress capture device
- Protective, water repellent carry bag with reflective trim
- High abrasion polyester webbing
- 10" wide reinforced ladder rung
- 3 steel carabiners included



Rescue Assist Kit 018-6000 | 600768 | \$536.91

- Ratchet assembly rated to 3,000 lbs. with 2 carabiners
- 10' abrasion-resistant kernmantle rope assembly with
- Edge protector for added security
- Secure, adjustable sling assembly
- · Cable clamp rated to 1,000 lbs.



150' Rescue/Descent Kit 022-6061 | 600769 | \$1,466.67

- Lightweight aluminum descent device with swivel carabiner
- Device includes lifting wheel to aid in disconnection for rescue
- · Assisted or unassisted descent for added versatility
- Dual brake pad heat-dissipating housing with 1:8.2 gear ratio
- Bidirectional functionality allows consecutive descent
- 2 Integral rope belays reduce descent speed • Rated for use by 1 or 2 persons for efficiency
- Built-in rope lock for added control







7' Adjustable Tripod Kit, 65' Material Winch, 65' 3-Way 019-11003 | 600765 | \$2,279.76

- Lightweight aluminum construction
- · Quick setup with easy height adjustment
- Two pulleys for use with multiple devices
- Two additional 5,000 lb. anchor points
- Secure rubber foot pads with optional soft terrain edge
- Durable storage/travel bag
- · Safety chain and quick link



10' Tech Tripod Kit: 65' Material Winch, 65' 3-Way 022-11035 | 600766 | \$3,304.87

- Lightweight yet durable aluminum construction
- Quick setup with detent pins for easy height and diameter adjustment
- Multiple stance configurations fit a variety of work zones, including an over-edge scenario

(7) Individual 5,000 lb. anchor points in head unit with a centered 360° captive eye

 Secure foundation with rubber pads on multi-surface steel feet transport, multiple handles, padded shoulder strap and labeled pockets for organization



4-18' Rescue Pole Kit 022-6073 | 600770 | \$180.00

- Telescoping pole extends from 4-18' for utmost versatility
- Lightweight for easier maneuverability
- Pole head bracket includes carabiner clamp and anchor hook



Aluminum Carabiner (for rescue system) 022-6071 | 600771 | \$20.00

- Lightweight aluminum construction
- Highly visible red color for easier connection
- Anodized surface treatment for added protection
- 3,600 lb. double action twist lock gate
- For use with the 022-6073 rescue pole



Large Steel Carabiner w/Captive Pin FS1026 | 600760 | \$51.40

- Optional captive pin
- 3,600 lbs. twist lock gate
- Large gate opening 2.1"



Retractable Steel Bracket SW-9012 | 600759 | \$35.40

- Quick installation
- Secure slide gate
- Use with single and dual SRLs

